

Alcoholism is one of the leading causes of death in the United States and contributes to at least 100,000 deaths annually. Despite these staggering statistics, there are highly successful treatment options available to help if you or a loved one has an alcohol problem.

**Some warning signs of alcoholic drinking include:**

- > Preferring to drink alone
- > Using alcohol to cope, relieve pain or relax
- > Feeling guilty about drinking
- > Missing or arriving late to work or events because of drinking
- > Experiencing blackouts (periods of lost memory when drinking) or memory lapses
- > Becoming moody, agitated or violent after drinking
- > Realizing that your drinking is becoming a problem for you and your loved ones
- > Having loved ones, friends or co-workers express worry about your drinking
- > Making promises to stop drinking for specific periods of time and
- > Being unable to moderate your drinking once you have started

If you think you or a loved one may have an alcohol problem, help is available through GuidanceResources. More information about alcoholism & other life issues is available online.

**Additional Information**

This information is brought to you by ComPsych® GuidanceResources®. This company-sponsored benefit offers confidential help and support 24 hours a day, 7 days per week, at no cost to you or your immediate family. Our Guidance Consultants can assist you with your concerns at: **877.595.5283**

Online: [www.guidanceresources.com](http://www.guidanceresources.com)

Enter your company ID: **BALTIMORE**

If you suspect a family member or friend is abusing drugs or alcohol, there are many telltale signs that can help confirm your suspicions. Watch for these common and not-so-common signals that may indicate a drug problem, and learn how to intervene in a positive way. You can help save a life.

- > Understanding the Appeal of Drugs
- > Signs of Drug Abuse
- > How to Talk to Someone You Suspect
- > Resources

### Understanding the Appeal of Drugs

Millions of people abuse and are addicted to drugs. Millions also have learned to kick their habits. Drugs can affect anyone, regardless of age, sex, ethnicity, social and income status or lifestyle. Reasons why people start and continue to use drugs may include:

- > Peer pressure
- > Hereditary predisposition to drug or alcohol addiction
- > Depression
- > Physical, sexual or emotional abuse
- > Low self-esteem
- > Family problems
- > Stress
- > Curiosity

Ease of access and social acceptance continue to make drugs and alcohol appealing choices. Drugs often are available from classmates at school or co-workers at the job site. In fact, statistics show that 75 percent of adult substance abusers are full-time employees who buy their drugs at work. With drugs being more popular and easier to obtain than ever, many people fall victim to substance abuse.

Commonly abused drugs include:

- > Alcohol
- > Cannabis (hashish and marijuana)
- > Central nervous system depressants ("downer" substances such as barbiturates and benzodiazepines)
- > Central nervous system stimulants (cocaine, amphetamines and methamphetamines)
- > Painkillers (highly addictive opiates such as morphine, heroin, codeine and methadone, as well as non-narcotic analgesics like aspirin and acetaminophen)
- > Inhalants (glues, aerosols and cleaning solvents)
- > Hallucinogens (PCP, angel dust, LSD, peyote, mescaline and mushrooms)

### Signs of Drug Abuse

Watch for these warning signals that may indicate substance abuse:

- > Sudden changes in behavior
- > Irritability
- > Hostility and outbursts of anger
- > Depression
- > Dramatic mood swings
- > Paranoia

- > Covert or secretive behavior
- > Lying or withholding the truth
- > Unpredictability
- > Continued requests to borrow money or receive favors
- > Missing items of value in the household

**Also look out for these physical signs:**

- > Red, glazed or dilated eyes
- > Speech deviations: talking too fast or too slow, slurred or incoherent speech
- > Slow or abnormal reflexes
- > Decrease in responsibility
- > Tardiness or absence from school or job
- > Lack of interest or motivation in school or job
- > Poor school marks or performance problems at work
- > Social withdrawal from family, friends and peers
- > Dropping out of favorite extracurricular or after-work activities
- > Grinding teeth and other nervous behaviors

**You may notice sudden or dramatic changes in:**

- > Personality and attitude
- > Friends
- > Hobbies and interests
- > Style of clothes, hair or music
- > Sleep routines
- > Eating habits

**Also look for the following tangible evidence:**

- > Possession of drug paraphernalia: needles, pipes, smoking materials, etc.
- > Possession of large amounts of cash
- > Needle marks on arms or other parts of body
- > Smell of alcohol or marijuana on breath or clothing
- > Observed associations with known drug abusers or dealers

Experts caution, however, that many of these signs may only suggest, and not prove, that the person is using drugs. Be careful about what you assume, and try not to jump to conclusions. Look for a recurrence of these signs over a prolonged period of time to substantiate your suspicions.

**How to Talk to Someone You Suspect**

If you believe that a family member, loved one or close friend is using drugs, show that person you care by attempting to talk to him or her about a potential problem. If you suspect your child is using drugs, do not hesitate to intervene immediately and help him or her get into treatment. When it is time to approach your friend or loved one, consider these tips:

- > Think about what you want to say and how you want to say it ahead of time.

- > Pick the right time and place: preferably a quiet, private setting when the person is not under the influence.
- > Consider a professionally assisted intervention. In this action, a therapist helps you and other concerned family members, friends or co-workers put together a united front to gently confront the substance abuser and help him or her enter rehabilitation. Intervention by a group can thwart the alcoholic's or addict's tendency to rationalize his or her behavior or blame you.
- > Adopt the voice of a caring friend, not a judgmental or preachy lecturer. Speak calmly and clearly.
- > Express your beliefs and observations that you suspect the person is using drugs.
- > Demonstrate your concern. Stress that you care about the person's safety and well-being.
- > Offer to help the person enter rehabilitation. If it is your child, insist on getting help together as a family. If it is a relative or friend, offer to accompany the person to counseling and treatment sessions, and pledge your support through the recovery process.
- > Do not expect your talk to go smoothly. The person may deny that he or she is using drugs, resent your suspicions and react angrily.
- > Remember that it is not your job to change the person. The drug abuser must want to change and be willing to seek treatment. Keep in mind, however, that it is your responsibility to get help if your child is abusing drugs.

### Resources

Consider contacting the following organizations for more information and additional support:

- > National Drug and Treatment Referral Routing Service: 800.662.HELP or [www.samhsa.gov](http://www.samhsa.gov)
- > Cocaine Anonymous: 800.347.8998 or [www.ca.org](http://www.ca.org)
- > Marijuana Anonymous: 800.766.6779 or [www.marijuana-anonymous.org](http://www.marijuana-anonymous.org)
- > Narcotics Anonymous: 818.773.9999 or [www.na.org](http://www.na.org)
- > National Clearinghouse for Alcohol & Drug Information: [www.health.org](http://www.health.org)
- > National Council on Alcoholism and Drug Dependence: 800.622.2255 or [www.ncadd.org](http://www.ncadd.org)

### Additional Information

This information is brought to you by ComPsych® GuidanceResources®. This company-sponsored benefit offers confidential help and support 24 hours a day, 7 days per week, at no cost to you or your immediate family. Our Guidance Consultants can assist you with your concerns at: **877.595.5283**

Online: [www.guidanceresources.com](http://www.guidanceresources.com)

Enter your company ID: **BALTIMORE**